शासकीय आश्रमशाळा/पोस्ट बेसिक आश्रमशाळा व वसतिगृह इमारत बांधकामाच्या सुधारीत आराखडा (नकाशा) व ढोबळ अंदाजपत्रक यांना प्रशासकीय मंजूरी देण्याबाबत.

## महाराष्ट्र शासन

आदिवासी विकास विभाग शासन निर्णय क्रमांक शाआशा-१००५/प्र.क्र.२/का.१७ मंत्रालय विस्तार, मुंबई ४०० ०३२.दिनांक : २ जानेवारी, २००७

बाचा : ৭) शासन निर्णय क्र.एएससी-१६९२/३२७७७/प्र.क्र.२०६८/का.१३, दि. १२.१०.१९९४.

- २) उपमुख्य वास्तुशास्त्रज्ञ, सार्वजनिक बांधकाम विभाग, महाराष्ट्र राज्य, मुंबई यांचे पत्र क्रमांक जा क्र.मुवाशा/छाननी समिती/प.३/१२८९, दिनांक २२.९.२००६.
- 3) आयुक्त, आदिवासी विकास, नाशिक यांचे पत्र क्र. इमा-२००६/प्र.क्र.७३/का.१९(२), दिनांक १५.११.२००६.

शासन निर्णय -आदिवासींसाठी शिक्षणाच्या चांगल्या सुविधा उपलब्ध व्हाव्यात यासाठी शासनाने शासन निर्णय, आदिवासी विकास विभाग, क्र.एएससी-१६९२/३२७७७/प्र.क्र.२०६८/का.१३, दिनांक १२.१०.१९१४ अन्यये निर्गमित केलेल्या शासकीय आश्रमशाळांच्या आराखडचामध्ये सुधारणा करण्याची बाब शासनाच्या विचाराधीन होती. आता याव्दारे शासकीय आश्रमशाळा/पोस्ट बेसिक आश्रमशाळा व शासकीय वसतिगृह इमारत बांधकामाच्या आराखडचात व ढोबळ अंदाजपत्रकात बदल करण्यात येत असून मुख्य वास्तू शास्त्रज्ञ, सार्वजनिक बांधकाम विभाग, महाराष्ट्र राज्य, मुबई यांच्या दि.११-९-२००६ रोजी झालेल्या छाननी समितीच्या बैठकीत ठरत्यानुसार यासोबत जोडलेल्या शासकीय आश्रमशाळा/पोस्ट बेसिक आश्रमशाळा व शासकीय वसतिगृह यांच्या इमारत बांधकामाच्या आराखडचास व ढोबळ अंदाजपत्रकास शासन मान्यता देण्यात येत आहे.

महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नावाने,

(झ.सा.रणदिवे)

कार्यासन अधिकारी, आदिवासी विकास विभाग.

प्रति, आयुक्त, आदिवासी विकास, नाशिक (२ प्रति). अपर आयुक्त, आदिवासी विकास, ठाणे/नाशिक/अमरावती/नागपूर. मुख्य वास्तुशास्त्रज्ञ, २५, मर्झबान पथ, फोर्ट, मुंबई-१. सर्व अधिक्षक अभियंता, सार्वजनिक बांधकाम मंडळ. सर्व प्रकल्प अधिकारी, एकात्मिक आदिवासी विकास प्रकल्प. सार्वजनिक बांधकाम विभाग, (इमारत-२), मंत्रालय, मुंबई-३२. कक्ष अधिकारी (का.६, ७, ११, १२, १३), आदिवासी विकास विभाग, मंत्रालय, मुंबई-३२. निवड नस्ती (का.१७), आदिवासी विकास विभाग, मुंबई-३२.

有男: 2000032~984033009

## शासन निर्णय क्रमांक-शाआशा-१००५/प्र.क्र.२/का.१७, दिनांक २ जानेवारी, २००७ चे सहप्र ( एकूण १ ते ३३ पुष्ठ )

## शासकीय आश्रमशाळा संकुल

## संक्षिप्त टिप्पणी

आदिवासी जमातीच्या विद्यार्थ्यांना दर्जेदार शिक्षण मिळावे व त्यांच्यात शिक्षणाची आवड निर्माण होऊन त्यांचा सर्वांगीण विकास व्हावा या हेतुने शासनाने निवासी आश्रमशाळांची योजना अंगलात आणण्याचा निर्णय घतला.

सदर योजनेअंतर्गत शासकीय आश्रमशाळा संकुलाचे आराखंडे तयार करण्यासंबंधी आयुक्त, आदिवासी विकास विभाग, नाशिक यांच्या २२/२/२००५ रोजीच्या पत्रान्ययं या कार्यालयास कर्ळावण्यात आले. तदुनंतर मंत्रीमहादय, आदिवासी विकास विभाग यांचे दालनात वेळावेळी झालल्या बेठकीत प्राप्त सूचनांना अनुसरुत या कार्यालयाने आश्रमशाळा संकृल व शासकीय वसतीगृहाचे रखा आराखंड तयार करून शासनाय पत्र क. मुवाशा/T-EDU-5203/प-५/११५९ दि. २५/८/२००६ अन्वये सादर केले. सदर आगखद्याम भागान तत्वतः मान्यता दिली अपून तसे उपसचिव, आदिवासी विकास विभाग, मंत्रालय यांच्या पत्र क्र. आशायां-२००५/प्र.क.२/का.१५, दि. ३०/८/२००५ अन्वयं कळविण्यात आले आहे.

सदर आराखंड नम्ना आराखंडे म्हणून तयार करण्यात आले असुन महाराष्ट्रात सर्वत्र यांगकामारा याग्य असे आराखड्यांचे संकल्पन करण्यात आले आहे.

आश्रमशाळा संकुल :-

सदर संकुलाच्या नमुना वास्तुमांडणी आराखड्यात शाळची इमारत. मुलामुलीची वर्सातगृहे. बहुडीशय सभागृह, शिक्षक व कर्मचारी निवास्थाने यांचा समावेश आहे. संकुलाच्या प्रथमदर्शनी भव्य पटांगणासह शाळचा इमारत असून ह्या इमारतीचे पाठीमागे बहुद्देशिय हॉलचे स्थाननिर्देशन करण्यात आले आहे. सदर हॉलच्या दोन बाजूस मुलांचे व मुलींचे वसीतगृह असुन भुखंडाच्या शंवटच्या भागात निवासी इमारतीचे रांफल्यन कम्ण्यात आले आहे. सदर संकुलास अंदाजे ५ एकर भृखंडाची आवश्यकता आहे.

आश्रमशाळा :-

आश्रमशाळा इमारतीची विभागणी तीः प्रकारात केली असून ए वेप्रमाण भजन याद्युव एवार्याचा वापर करता येण शक्य होईल.

अ) पहिली ते सातवी :-

सदर इमारत तळ 🕂 एक मजल्याची असुन तळमजल्यावर तीन तर पहिल्या मजल्याचर चार वगणाल्या आहेत. तळमजला कार्यालय, हंडपास्तर कार्यालय, शिक्षक खोली, भांडारगृह च प्रसाधनगृहे अभुन पहल्या मजल्यावर प्रथालय, विज्ञानप्रयोगशाळा व मुलामुलीकरीता प्रसाधन गृहाच संकल्पन करण्यात आले आहे. सद्य इमारतीचे एकूण बांधकाम क्षेत्रफळ १३८२.३६ चां. मी. आहे.

ब) पहिली ते दहावी :-

या इमारतीतील १० वर्गखोल्या. कार्यालय, स्टाफ रुम, ग्रंथालय भांडारमूह व विज्ञानशाखनील भौतिकशास्त्र, रसायनशास्त्र, जीवशास्त्र या विषयांसाठी स्वतंत्र प्रयोगशाळा आहेत. सदर इमारत तळ । दान मजल्यांमध्ये विभागली असुन एकुण बांधकाम क्षेत्रफळ २०३३ ४४ चौ. मी. इतक आहे.

क) पहिली ते बारावी :-

सदर इमारत तळ + तीन मजल असून उपरांक्त सर्व गरजांव्यातीरक्त या इमारतीत दोन आधिक वर्गखोलया, त्यायामशाळा इ. ची तरतूद आहे. या इमारतीचे क्षेत्रफळ २६८४.५१ चो. मी. इतके आहे.

वसतिगृहः-सदर इमारत तळ + दोन मजल्यांची असुन तळ मजल्यावर प्रवेशदालन, गृहणालांचे निवासस्थान व्यायामशाळा, मनोरंजन कक्ष, सिक रुम्स, अंध विद्यार्थ्याकरिता दोन खोल्या, भोजनकक्ष उ. ची तरतृद आहे.

पहिल्या मजल्यावर ८ विशार्थ्यांना एक याप्रमाणे दोन डॉमिटरीज, ४ विद्यार्थ्यांना एक या प्रमाण १२ खोल्या प्रंथालयः वाचनकक्षः भांडारगृह इ. ची तरतृद आहे. ६४ विद्यार्थ्याकरीता १० शाचालय व १० स्नानगृहाची तरतृद करण्यांत आली आहे.

दुसऱ्या मजल्यावर प्रत्यंकी चार मुलांना एक यानुसार २१ खोल्यांनी तरतृद अस्त १० स्नानगृह त १०

शोचालयांची तरतूद करण्यात आर्ला आहे.

सदर इमारतीचे एकूण बाधकाम क्षेत्रफळ २८६०.२८ ची. मी. आह. आश्रमशाळा संकृतात भूगांसाठा व मुलाीसाठी स्वतंत्र वसतिगृह इमारतीचं प्रयोजन करण्यात आले आहे.

## शासन निर्णय क्रमांक-शाआशा-१००५/प्र.क्र.२/का.१७, दिनांक २ जोनेवारी, २००७ चे सहपत्र ( एकूण १ ते ३३ पृष्ठ )

.. २..

## बहुदेशिय सभागृह :-

शाळेतील मनोरंजनाच्या व इतर शैक्षाणक सामूहिक कार्यक्रमांच्या आयोजनाकरीता सदर इमारत प्रस्तावित करण्यात आली असुन संकुलाच्या मध्यभागी तिचे स्थानिनर्देशन करण्यात आले आहे. सदर इमारतीत दोन ग्रीनरुम्स, ग्रसाधनगृहे, भव्य हॉल, स्टेज इ. तरतूद असून इमारतीचे एकूण आंधकाम क्षेत्रफळ ५१६.१४ चो. मो. इतके आहे.

## निवासी इमारती:-

आश्रमशाळा संकुलात तीन प्रकारच्या निवासी इमारती आहेत. शासनान ठरवृन दिलल्या मानकानुसार या कार्यात्वयाने तयार केलेल्या पुढीलप्रमाणे नमुना आराखडे निवासी इमारतींकरीता प्रश्नावित करण्यात आले आहेत.

नमुना प्रकार एक - २४ निवासस्थाने नमुना प्रकार दोन - १६ निवासस्थाने नमुना प्रकार तीन - १६ निवासस्थाने

निवासस्थानांचे एकूण बांधकाम क्षेत्रफळ ३१९८.६८ ची. मी. आहे.

आश्रमशाळा संकृताता सुरक्षेच्या दृष्टीकोनातृन एकच मुख्य प्रवंशव्दार प्रस्तावित करण्यात आले अ नि संकृतातील सर्व इमारती पदपथांव्दारे एकमेकांना जोडण्यात आल्या आहेत. नैसर्गिक समताल साधण्याकरं ता संकृतात उद्यानांसाठी जागा राखून ठेवण्यात आली आहे. संकृतात शिकण्याकरीता येणाच्या विद्याण्य ना आपलेपणा वाटावा या करीता सर्व इमारती एकमेकांपासून योग्य अंतर राखून संकृत्यन करण्यात आल आहे 中央の日本の日本の中では、「

## 🗻 शासन निर्णय क्रमांक-शाआशा-१००५/प्र.क्र.२/का.१७, दिनांक २ जानेवारी, २००७ चे सहपत्र ( एकूण १ ते ३३ पृष्ठ )

## संक्षिप्त टिप्पणी

## तालुका व जिल्हास्तरीय वसितगृहे

उच्च शिक्षण घेऊ इच्छिणाऱ्या आदिवासी विद्यार्थ्यांच्या निवासाची सोय व्हावी या उद्देशाने आदिवासी विकास विभागांतर्गत तालुका व जिल्हास्तरीय वसितगृहे प्रस्तावित करण्यात आली आहेत. सदर वसीतगृहांमध्यं सर्व आशुनिक सोयी - सुविद्यांची तरतृद करण्यात आली असून सदर वसीतगृहे १२४ व २२८ विद्यांध्यांसाठी प्रस्तावित आहेत.

१२४ विद्यार्थी क्षमता असलेले वर्सातगृह तळ + एक मजल्याचे संकल्पित करण्यात आले आहे. तळमजल्याचर प्रवेश दालन, गृहपालाचे निवासस्थान, अभ्यागंताकरीता बेठक कक्ष, कार्यालय, भांडारगृह, आजारी च अंधमृलांकरीता प्रसाधगृहार्साहत प्रत्येकी दोन कक्ष, मनोरंजन कक्ष, भोंजनकक्ष च ३२ विद्यार्थ्याकरीता आठ खोल्या प्रस्तावित आहेत. प्रत्येक पाहल्या मजल्यावर ९२ विद्यार्थ्याकरिता २३ खोल्या, भांडारगृह व व्यायामशाळा इ. ची तरतूद करण्यात आली आहे. प्रत्येक खोलीस जोडून स्वतंत्र स्नानगृह व शौचालय असून बाल्कनीमध्ये कपडे सुर्कावण्याकरीता स्वतंत्र जागंची व्यवस्था करण्यात आली आहे. इमारतीच्या मध्यभागी मोठा चौक असुन त्याचा उपयोग विद्यार्थ्यांना सामृहिक मानरंजनाच्या कामाकरीता करता येतो तसेच सुरक्षेच्या दृष्टिकानातृन सदर चौक उपयोगी आहे.

२२८ क्षमतच्या वर्सातगृहात तळ व पांहल्या भजल्यावर वरीलप्रमाण भृविधा असुन २ ऱ्या मजल्यावर ९२ विद्यार्थ्यासाठी २३ खोल्या आहेत.

१२४ विद्यार्थी क्षमतेच्या वर्सातगृहाचे एकूण बांधकाम क्षेत्रफळ ३०८२.७४ चो. मी. असून २२८ विद्यार्थी क्षमतेच्या वर्सातगृहाचे क्षेत्रफळ ४६२४.११ चो. मी. इतके आहे.

(प्र.सि.बळीवंत)

उपमुख्य वास्तुशास्त्रज्ञ,

मंबर्ड

स्थळप्रत गुख्य वास्तुशास्त्रज्ञ, महाराष्ट्र राज्य, मुंबई यांचेकडून मंजुर

# ACCOMPANIMENT TO GOVT. PUBLIC WORKS AND HOUSING DEPTT. CIRCULAR NO. BDG-1076-D/DESK.6, DATED 20<sup>Th</sup>

Proposed Ashramshala complex for Tribal Department and Hostels at Taluka & Dist. Level Subject:

a) Whether the approved type plan for similar work/	Sub work exists. If so one copy of approved type	plan should be furnished in each different case.
---	--	--

Plan incorporating certain changes in sizes of rooms b) If the proposed plan is based on the approved type or/and additions or/and omissions, a statement as below should be furnished.

Serial No.

ii) Particulars

iii) Details as per type plan

Area

iv) Details as per proposed plan

Deviations from type plan, if any 5

the proposed plan, reason and justification for the same If the existing type plan is not followed while preparing should be given.  $\hat{\mathbf{o}}$ 

What is the reflection in cost compared to that of the ype plan. ਰੇ

Whether the proposed plan involves redoing of the R.C.C. designs. (e)

number of W.C.S. and baths laid down, which have Are there any standards such as area per person, been followed, if so, the authority laying down the standards should be mentioned. **~** 

Type plan exists.

New plan has been prepared.

×1.

Proposed plan is not based on type plan.

Not applicable Not applicable Not applicable

Explained in a drawing of the building attached herewith.

Not applicable

user deptt. requirements.

Not applicable

New R.C.C. design has to be done.

ocal Municipal Authority and standard Norms. The plan follows the standards laid down by

Maharashtra State, Mumbai. Chief Architect,

# ACCOMPANIMENT TO GOVT. P.W. & H. DEPARTMENT CIRCULAR NO.1076-D/DESK.6, DATED 20<sup>TH</sup> MAY 1976

Subject: Proposed Ashramshala complex for Tribal Department.

Proforma accompanying Govt. B.& C. St. Deptt. Resolution No. BDG3870, Dt.02/01/1971 duly got filled in from the Concerned Administrative Department Five sets of the following plans dully approved and counter signed by the head of Administrative Department concerned.  i) Site plan of the entire complex showing it the existing and proposed building with distinct colour, contour & T.P. Results.  ii) Line plans of all the floors of the proposed building along with sections, elevations and schedule showing plinth and carpet area on floor plans.  Revised proforma accompanying this Su Circular No. BDG-3866-K, dated 28.02.68 is now modified by providing some new columns.  F.S.I. Calculations sheet showing No permissible built up area as per prescribed F.S.I. and area actually provided as per plans. It should also be pointed out whether the plans of the building fulfil development control rules of the respective municipality. If not in what respect relaxation is required to be obtained from Government and the reasons there of.	carled . I toposed Ashramshala complex for Tribal Department, and Hostels at Taluka & Dist. Level.	Submitted herewith duly filled in & signed by Commissioner, Tribal Development Deptt. M. S. Nasik.		i. Attached herewith Job No.T-EDU-5224, Drg.No-1	ii. Attached herewith For carpet areas Refer Annexure -III	Submitted herewith Annexure -I	Not Applicable as Plans are Type Plans.
	Ject : 1 Oposed Ashramshala complex f	Proforma accompanying Govt. B.& C. S. Deptt. Resolution No. BDG3870, Dt.02/01/1971 duly got filled in from the Concerned Administrative Department	Five sets of the following plans dully approved and counter signed by the head of Administrative Department concerned.		Line plans of all the floors of the proposed building along with sections, elevations and schedule showing plinth and carpet area on floor plans.	ng this proforma Circular is now	

D:\U\_D\_PATEL\Chhanani Samitì\Ashramshala complex.doc

	per the requirements of user Dept and as	recas are as per user departments requirements.
	ated ive De	
	and that provided in plans for different	
	rooms should be furnished by giving	
	detailed justification for the excess area provided	
	if any.	
ဖ	A detailed item note covering the following points should be prepared and submitted	
	for consideration of the committee.	
	i) Name of the officer preparing plans of	The plans are prepared by the Chief Architect, Maharashtra
	the building and the name of the officer	State, P. W. D., Mumbai at the instance of Commissioner, Tribal
	at whose instruction the plans are	Development Deptt. M. S. Nasik vide his letter No. इमा-२००३/प्र.क्र७३/काण्१(२),
	Prepared.	Date- 22/02/2005.
	ii) Necessity of the work with reference	Preparation of line plans has been under taken as there is urgancy of the
	(give details with area)	user deput.
	iii) Whether preparation of plans was	Lines plans are approved in Principle by Secretary Tribal Development Deptt
	under taken after obtaining approval	Mantralaya, Mumbail. vide his letter no- आशाबा-२००५/ प्र.क.२/ का.१७/ dt.३०/०८/२००६
	instructions contained in Govt.	
	Ć	
	iv) Location of the building (whether on	Location at various places in Maharashtra.
	Covi. Laila oi oil iaria to be acquired.)	
	V) Orientation of the building.	as per site.
	vi) Number of stories in the building.	as shown on Drawings.

as shown on Drawings	R. C. C. framed Structure.	As per Soil Condition.	External walls: 23 cm. Thick brick walls in C. M. Internal walls: 15 cm. Thick brick walls in C. M.	Flooring: i) Kota Stone in all rooms ii) Toilets  - Half tile skirting as per flooring flush to wall. v) Dado  - Ceramic tile dado up to lintel level.	R.C.C. flat roof with water proofing treatment.	as per schedule	Centrally located Staircase. / as shown on the plans	As per norms & requirement of user deptt.	Concealed Wiring.	Maximum Building height is Ground + 3 Floors, Lift in not required.
vii) Accommodation provided on each floor indicating the sizes and areas of the rooms with reference to the fundamental requirements of the proposed building are fixed.	viii) Type of structure.	ix) Type of foundation	x) Type of walls	xi) Type of Flooring	xii) Type of roof	xiii) Type of Doors & Windows.	xiv) Number of staircases & distance from each other.	xv) Number of lavatory block for Gents, Ladies, officers, indicating no. of W.C.S, Baths, Urinals provided for	xvi) Type of electrical wiring proposed.	xvii) No. of lifts & their capacity proposed indicating how the number is determined and whether the electrical wing was consulted in this regard.

General fire fighting arrangement is provided.	Ketere annexure-iii	Refere annexure-III	Refere annexure-III	Lines plans are approved in Principle by Secretary Tribul 2000/२०६. Mantralaya, Mumbail. vide his letter no- आशार्वा-२००५/ प्र.क.२/ का.१७/ dt.३०/०८/२००६.
xviii) Special fire fighting arrangement if	ix) Total plinth area	Carpet area	Approximate cost of the building.	xix) Approval of the head of department to the plans.

Chief Architect,
Maharashtra State, P.W.D.,
Mumbai 400 001.

## ANNEXURE-I

# Accompaniment of Government Circular P.W.D.H. Department No.BDG - 1076 - Desk - VI, dt. 20th May, 1976.

Sub: - Proposed Ashramshala complex for Tribal Department. and Hostels at Taluka & Dist. Level.

	Cost of the building		As per ANNEXURE -III
Cost of the building	Total plinth area rate assumed	01	As per ANNEXURE-III
of the building	Non usable Such as ent. hall corridors staircases waiting spaces lav. blocks etc.	6	As per ANNEXURE- II & III
Total carpet area of the building	Usable	~	As per ANNEXURE-II & II
Total plinth area of the building in sq.m.		7	As per ANNEXURE- III
Whether the areas in respect of rooms respect of rooms porches, corridors,	verandahs, Sanitary blocks are strictly according to prescribed standards and whether there is any deviation from the standards. If so justification for the same.	9	Areas of rooms & other requirements are provided as prescribed by user deptt.
Whether administrative Deptt. Or the P.WH. Deptt.	Has laid dom any type designs or norms and if not whether the Administrative Deptt. Has certified minimum requirements.	5	Existing Type Plans Changed at the instance of user deptr.
the Reasons is for or urgency of work		4	Urgancy of the User Deptt.
Whether work budgeted non-	budgeted	3	Type plans
Name of the proposed building		2	Proposed Ashramshal a complex for Tribal Department. and Hostels at Taluka & Dist. Level.
No.			

And Architect,
Maharashtra State, Mumbai.

## ANNEXURE II

SUB: PROPOSED ASHRAMSHALA COMPLEX FOR TRIBAL DEPARTMENT

## CARPET AREA STATEMENT

PRIMARY SCHOOL (1 ST TC 7 TH STD.) GROUND + 1 FLOOR GROUND FLOOR

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA	NON USABLE AREA (IN MTS.)
1.	ENTRANCE / WAITING	13.10 X 7.20		94.34
2.	STAIRCASE	7.77 X 3.00		23.10
3.	CLASSROOMS (3 NOS)	7.77 X 5.77 X 3	134.50	
4.	OFFICE	3.77 X 5.77	21.75	
5.	HEAD MASTERS ROOM	3.77 X 5.77	21.75	
6.	TEACHERS ROOM	3.77 X 5.77	21.75	
7.	STORE	6.44 X 5.77		37.16
8.	GENTS TOILET	2.43 X 5.77		14.02
9.	LADIES TOILET	2.43 X 5.77		14.02
10.	GIRLS TOILET (2 NOS)	5.77 X 2.62 X 2	1	30.23
11.	BOY'S TOILET (2 NOS)	5.77 X 2.62 X 2	ĺ	30.23
12.	STAIRCASE (2 NOS)	8.29 X 2.00		16.58
13.	CORRIDOR			128.52
14.	PASSAGE (2 NOS)	1.77 X 5.10 X 2	<u> </u>	18.05
	TOTAL	<u> </u>	199.75	406.25

TOTAL CARPET AREA = 606.00 SQ MTS.

## FIRST FLOOR

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS.)	NON USABLE AREA (IN MTS.)
				00.24
1.	LOBBY	7. <b>7</b> 7 X 4.20		32.34
2.	CLASSROOMS (4 NOS)	7.77 X 5.77 X 4	179.33	
3.	SCIENCE LAB	7.77 X 5.77	14.83	
4.	LIBRARY	7.77 X 5.77	44.83	
5.	GIRLS TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
6.	BOY'S TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
7.	STAIRCASE (2 NOS)	8.29 X 2.00		16.58
	1	0.25 X 2.00		128.52
8.	CORRIDOR	1.77 X 5.10 X 2		18.05
9.	PASSAGE (2 NOS)	1.77 × 5.10 × 2		
	TOTAL		268.89	255.95

TOTAL CARPET AREA = 524.84 SQ MTS.

TOTAL CARPET AREA OF GROUND FLOOR + FIRST FLOOR

524.84 = 1130.84 SQ MTS.

## ANNEXURE II

SUB: PROPOSED ASHRAMSHALA COMPLEX FOR TRIBAL DEPARTMENT

## CARPET AREA STATEMENT

PRIMARY, SECONDARY SCHOOL & JUNIOR COLLEGE

GROUND + 3 FLOORS

PRIMARY, SECONDARY SCHOOL & JUNIOR COLLEGE

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS.)	NON USABLE AREA (IN MTS.)
1.	ENTRANCE / WAITING	13 10 × 7.20		94.34
2	STAIRCASE	7 70 X 3.80		29.52
3.	CLASSROOMS	7.77 X 5.77	44.83	
4.	OFFICE	3.77 X 5.77	21.75	
5.	JR. COLLEGE PRINCIPAL	3.77 X 5.77	21.75	
6.	PRIMARY HEAD MASTER	3.77 X 5.77	21.75	
7.	SECONDARY HEAD MAST	ER 3.77 X 5.77	21.75	
8.	JR. COLLEGE STAFF	3.77 X 5.77	21.75	
9.	PRIMARY STAFF	3.77 X 5.77	21.75	
10.	SECONDARY STAFF	3.77 X 5.77	21.75	
11.	STORE	6.44 X 5.77		37.16
12.	GENTS TOILET	2.43 X 5.77		14.02
13.	LADIES TOILET	2.43 X 5.77		14.02
14.	GIRLS TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
15.	BOY'S TOILET (2 NOS)	5.77 X 2.62 X 2	i	30.23
16.	STAIRCASE (2 NOS)	8.29 X 2 00		16.58
17.	CORRIDOR			128.52
18.	PASSAGE (2 NOS)	1.77 X 5.10 X 2		18.05
	TOTAL		197.08	412.67

TOTAL CARPET AREA = 609.75 SQ MTS.

## FIRST FLOOR

SR NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS.)	NON USABLE AREA (IN MTS )
1.	LOBBY	7.77 X 4.20		32.34
2.	CLASSROOMS (6 NOS)	7.77 X 5.77 X 6	268.99	
3.	GIRLS TOILET (2 NOS)	5 77 X 2.62 X 2		30.23
4.	BOY'S TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
5.	STAIRCASE (2 NOS)	8.29 X 2.00		16.58
6.	CORRIDOR			128.52
7.	PASSAGE (2 NOS)	1.77 X 5.10 X 2		18.05
	TOTAL		268.89	255.95

TOTAL CARPET AREA = 524 94 SQ MTS.

## ANNEXURE II \*

SUB: PROPOSED ASHRAMSHALA COMPLEX FOR TRIBAL DEPARTMENT

## CARPET AREA STATEMENT

PRIMARY, SECONDARY SCHOOL (1 ST TO 10 TH STD.)

GROUND + 2 FLOORS GROUND FLOOR

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS )	NON USABLE AREA ( IN MTS. )
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14.	ENTRANCE / WAITING STAIRCASE CLASSROOMS (2 NOS) OFFICE PRIMARY HEAD MASTER SECONDARY HEAD MAST PRIMARY STAFF SECONDARY STAFF STORE GENTS TOILET LADIES TOILET LADIES TOILET GIRLS TOILET (2 NOS) BOY'S TOILET (2 NOS) STAIRCASE (2 NOS) CORRIDOR PASSAGE (2 NOS)		89.69 21.75 21.75 21.75 21.75 21.75	94.34 29.52 37.16 14.02 14.02 30.23 30.23 16.58 128.52 18.05
	TOTAL		198.44	412.67
	TOTAL CARPET AREA ::	611.11 SQ MTS.	198.44	

## FIRST FLOOR

SR NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS.)	NON USABLE AREA (IN MTS.)
1. 2 3. 4. 5. 6. 7.	LOBBY CLASSROOMS (5 NOS) LIBRARY GIRLS TOILET (2 NOS) BOY'S TOILET (2 NOS) STAIRCASE (2 NOS) CORRIDOR PASSAGE (2 NOS)	7.77 × 4.20 7.77 × 5.77 × 3 7.77 × 5.77 5.77 × 2.62 × 2 5.77 × 2.62 × 2 8.29 × 2.00 1.77 × 5.10 × 2	224.16 44.83	32.34 30.23 30.23 16.58 128.52 18.05
	TOTAL		266.99	255.95

TOTAL CARPET AREA = 524.94 SQ MTS.

SR. NO.	SECOND FLOOR ROOM	SIZES	USABLE AREA (IN MTS.)	NON USABLE AREA ( IN MTS. )
1 2. 3. 4. 5. 6. 7.	LOBBY CLASSROOMS (3 NOS) LABORATORIES (3 NCS) GIRLS TOILET (2 NOS) BOY'S TOILET (2 NOS) STAIRCASE (2 NOS) CORRIDOR PASSAGE (2 NOS)	7.77 X 4 20 7.77 X 5.77 X 3 7.77 X 5.77 X 3 5.77 X 2.62 X 2 5.77 X 2.62 X 2 8.29 X 2.00 1.77 X 5.10 X 2	134.49 134.49	32.34 30.23 30.23 16.58 128.52 18.05
	TOTAL		268.98	255.95

TOTAL CARPET AREA = 524 93 SQ MTS

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA ( IN MTS. )	NON USABLE AREA (IN MTS.)
				32.34
1.	LOBBY	7.77 X 4.20		32.34
2.	CLASSROOMS (3 NOS)	7.77 X 5.77 X 3	134.49	
3.	LABORATORIES (3 NOS)	7.77 X 5.77 X 3	134.49	
4.	GIRLS TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
5.	BOY'S TOILET (2 NOS)	5.77 X 2.62 X 2		30.23
6.	STAIRCASE (2 NOS)	8.29 X 2.00		16.58
7.	CORRIDOR			128.52
8.	PASSAGE (2 NOS)	1.77 X 5.10 X 2		18.05
	TOTAL		268.98	255.95

TOTAL CARPET AREA = 524.93 SQ MTS.

## THIRD FLOOR

SR. NO.	ROOM	SIZES (IN MTS.)	USABLE AREA (IN MTS.)	NON USABLE AREA ( IN MTS. )
1. 2. 3 4. 5. 6. 7. 8. 9. 10. 11.	LOBBY CLASSROOMS (2 NOS) LIBRARY MULTIPURPOSE HALL GYMNASIUM COMPUTER STORE GIRLS TOILET (2 NOS) BOY'S TOILET (2 NOS) STAIRCASE (2 NOS) CORRIDOR PASSAGE (2 NOS)	7.77 × 4.20 7.77 × 5.77 × 2 7.77 × 5.77 7.77 × 5.77 7.77 × 5.77 3.77 × 5.77 3.77 × 5.77 5.77 × 2.62 × 2 5.77 × 2.62 × 2 8.29 × 2.00	89 69 44 83 44.83 44.83 21.75 21.75	32.34 30.23 30.23 16.58 128.52 18.05

245.93 277.70 TOTAL

TOTAL CARPET AREA = 523.63 SQ MTS.

TOTAL CARPET AREA OF GR. FLR + FIRST FLR + SECOND FLR + THIRD FLR 609.75 + 524.94 + 524.93 + 523.63 = 2183.25 SQ MTS.

## ANNEXURE ... PROPOSED ASHRAMSHALA COMPLEX FOR TRIBAL DEPARTMENT HOSTEL FOR GIRLS / BOYS CARPET AREA STATEMENT

SR. NO.	ROOM	SIZE	USABLE CARPET AREA IN SQ.M.	NON USABLE CARPET AREA IN SQ.M.
1	Waiting Room / Entrance	4.50x5.895	-	26.53
2	Living Room	4.50x4.80	21.60	-
3	Kitchen	2.85x4.80	13.68	-
4	Bedroom	4.50x3.45	15.53	
<del>.</del> 5	Bedroom	3.30x4.80	15.84	-
6	Toilet	1.50x2.30	-	3.45
7	Toilet	3.05x1.50	-	4.58
8	Passage	1.65x1.0 6.15x1.20	-	1.65 7.38
9	Visitors Room	4.50x4.80	21.60	-
10	Office	4.50x4.80	21.60	-
11	Computer Roorn	4.50x4.80	21.60	-
12	Store	3.30x4,80	-	15.84
13	Gymnasium	4.80x9.23	44.30	-
14	Entertainment Room	4.80x9.23	44.30	_
15	Meter Room	4.80x1.20	-	5.75
16	Staircase	4.80x3.15	-	15.12
17	Kitchen	4.50x7.395	33.28	_
18	Store	4.50x3.62	-	16.29
19	Pantry	4.50x3.62	16.29	-
20	Dinining Hall	13.96x7.395	103.23	
21	Sick room / Toilet (2 No.)	4.80x4.5x2	43.2	-
22	Blind Student's Room / Toilet (2	4.80x4.5x2	43.2	-
23	Guest Room / Toilet	4.80x4.50	21.6	
24	Bath, W. C., Passage	4.80x1.20	-	5.76
25	Washing Area	4.80x2.00	-	9.60
<u>23</u> 26	Store for utensils	3.45x3.10	•	10.70
27	Toilet Block (5 W.C. & 5 Bath)	4.80x6.60		31.68
28	Corridor 1.5 m. Wide		-	198.42
29	Stairecase	4.5x4.8		21.60
23	Total		480.85	374.35
	Total Carpet Area		855.20	

FIRST FLOOR

	Total Carpet Area		884.34	
	Total		436.40	447.94
11	Staircase	4.5x4.8	_	21.60
10	Corridor 1.5 m. Wide	-	_	207.10
9	Balconies with drying yard (21 No.)	4.5x1.2x21	-	113.40
8	Toilet block (2 No.)	4.80x6.6x2		63.36
7	Rooms (12 No.)	4.80x4.5x12	259.20	_
6	Meter Room	4.80x1.2	-	. 5.76
5	Staircase	4.80x3.15	-	15.12
4	Dormitories (2 No.)	4.80x9.23x2	88.60	-
3	Store	4.5x4.8	<u>-</u>	21.60
2	Reading Hall	9.23x4.80	44.30	-
1	Library	9.23x4.80	44.30	_

ATT !

## SECOND FLOOR

	Total Carpet Area	1	880.24	
	Total		453.6	426.64
7	Staircase	4.80x3.15		15.12
6	Corridor 1.5 m. Wide	-		207.10
5	Balconies with drying yard (21 N	4.80x1.2x21	****	113.40
4	Toilet block (2 No.)	4.80x6.6x2		63.36
3	Rooms (21 No.)	4.5x4.80x21	453.6	
2	Meter Room	4.8x1.2		5.76
1	Staircase	4.8x4.5		21.60

Total Carpet Area			
GROUND FLOOR	855.20		
FIRST FLOOR	884.34		
SECOND FLOOR	880.24		
TOTAL	2619.78		

9.78

(PSS-BACIMAN)

TOL Chief Architect,
M. S. P.W.D., Mumbai.

## **ANNEXURE - II** PROPOSED MULTIPURPOSE HALL FOR ASHRAMSHALA COMPLEX FOR TRIBAL DEPARTMENT. CARPET AREA STATEMENT

SR. NO.	ROOM	SIZE	USABLE CPAPET AREA IN SQ.M.	NON USABLE CARPET AREA IN SQ.M.
1	Hall	18.00x22.00	396.00	
2	Green Room (2 No.)	4.49x3.85x2.00	34.57	-
3	Gents Toilet	4.245x3.85	-	16.34
4	Ladies Toilet	4.245x3.85	-	16.34
	Total		430.57	32.68
<u>_</u>	Total Carpet Area		463.25	

TOP Chief Architect,
M. S. P.W.D., Mumbai.

## ANNEXURE - II PROPOSED HOSTEL FOR GIRLS & BOYS AT TALUKA & DIST. LEVEL CARPET AREA STATEMENT

SR. NO	. ROOM	SIZE	USABLE CARPET AREA IN SQ.M.	NON USABLE CARPET AREA IN SQ.M.
1	Waiting Room / Entrance	5.38x7.43	-	39.97
2	Living Room	4.0x6.0+4.8x2.7	36.96	-
3	Kitchen	4.0x6.0	24.00	-
4	Bedroom	5.35x3.135	16.77	_
5	Bedroom	3.96x6.0	23.73	-
6	Toilet	2.4x1.47	-	3.53
7	Toilet	1.2x2.4	**	2.88
8	Passage	1.45x1.62 5.35x1.2 1.35x2.25	_	2.35 6.42 3.05
9	Visitors Room	4.0x6.0	24.00	_
10	Office	4.0x6.0	24.00	-
11	Computer Room	5.35x6.0	32.10	-
12	Store	5.13x6.0	30.78	-
13	Passage & Toilet (2 No.)	1.2x4.8x2	-	11.52
14	Entertainment Room	16.315x6.0	97.89	-
15	Meter Room	2.05x6.0	-	12.30
16	Staircase	3.0x6.0	-	18.00
17	Kitchen / Pantry	4.2x5.5	23.10	-
18	Store for Grain	3.5x2.5	-	8.75
19	Toilet & Passage	3.5x1.2	-	4.20
20	Dinining Hall	9.0x11.0	99.00	-
21	Sick room / Toilet (2 No.)	6.0x4.0x2	48.00	-
22	Blind Student's Room / Toilet (2 Nos)	6.0x4.0x2	48.00	-
i	Room (8 No.)	4.0x6.0x8	192.00	-
24	Bath, W. C., Passage (8 No.)	1.20x4.80x8	-	46.08
25	Store for utensils	3.42x1.65	-	3.64
26	Passage	_		17.60
27	Corridor	-	-	231.18
28	Stairecase	4.80x5.38	•	25.82
	Total		720.33	469.56
-	Total Carpet Area		1189.89	-

## FIRST FLOOR

	Total Carpet Area		1288.04	-
	Total		674.85	613.19
13	Store	5.38x6.0		32.28
	Passage	5.0x2.20	_	11.00
<u>''</u> 12		4.8x5.38	_	25.82
<u>10</u> 11	Corridor 1.5 m. Wide Staircase	-		231.18
<u> </u>	Balconies with drying yard (23 No.)	3.98x23	-	91.54
9	Bath, W.C., Passage (23 No)	4.80x1.2x23	<u>-</u>	132.48
8	Rooms (23 No.)	4.0x6.0x23	552.00	•
7		2.05x6.0	_	12.30
6	Meter Room	3.0x6.0	-	18.00
5	Staircase	4.65x3.0		13.95
<del>-3</del> -	Toilet	4.12x3.0	-	12.36
3	Gymnasium Store	9.0x13.65	122.85	-
2		5.38x6.0	_	32.28
1	Lounge	5.38x6.0		

Total Carpet Area (for Capacity 124 Students)		
GROUND FLOOR	1189.89	
FIRST FLOOR	1288.04	
TOTAL	2477.93	


Total Carpet Area (for Capacity 228 Students)			
GROUND FLOOR	1189.89		
FIRST FLOOR	1288.04		
SECOND FLOOR	1288.04		
TOTAL	3765.97		


Chief Architect, M. S. P.W.D., Mumbai.


## ANNEXURE III


SR. NO.	NAME OF THE BUILDING	TOTAL PLINTH AREA	TOTAL CARPET AREA	COST OF THE BUILDING IN LAKHS ( RS 7500 / SQ MTS.)						
1.	PRIMARY SCHOOL ( 1ST TO 7 TH STD.)	1382.36	1130.84	103.67						
2.	PRIMARY SECONDARY SCHOOL (1ST TO 10 TH STD.)	2033.439	1659.00	152 50						
3.	PRIMARY SECONDARY SCHOOL, JR. COLLEGE (1ST TO 12 TH STD.)	2684.51	2183.25	201.33						
4.	BOYS/ GIRLS HOSTEL	2902.64	2619 78	217.69						
5.	MULTIPURPOSE HALL	516.14	423.25	38.71						
HOSTEL AT TALUKA / DISTRICT LEVEL										
1.	CAPACITY 124 STUDENTS	3082.74	2477.93	231.20						
2.	CAPACITY 228 STUDENTS	4624.11	3765.97	346.80						


CHIEF ARCHITECT
MAHARASHTRA STATE
P.W.D., MUMBAI.

































			and the second s	
ON THU	ONTIO	DESIGNATION OF THE PARTY OF THE	The state of the s	
: ' ; ]¥ %u	47075	(YSWTE YMAYEL) (YSWTE CONVEY) (YWYNEELE (YSWTE CONVEY)	C 1965 / CROB HONDER BY SCHELLING (LOB BOUL TO 1961)  DATE: 100 OF THE STREET S	
422.888 (488) Benin	51: N		CHILL OF THE CHEF ARCHITECT	ļ

BOILT UP AREA OF FLOOR × 1541 37 SO M 23 ROOMS FOR 92 ROYS (GIPLS PER FLOOP ) GYNDAGUM

BOXS / CIBI S HOSLEF



1975   1975	
Separation 1/2 for the first term of the first t	₽ #ANO 3 51
ACTIVIDE 19475 1940 CONTINUES HIGHWARD STORY AND THE STORY	
WHICH CAS SEN STATE STAT	

TOOK BLATTE BOOTS BUILDER STEEL STATE AND STANDER STANDERS.

BOAR / CIBI & HORLE

